

S2205(S322 2U)AVL List

CPU

Vendor	Code Name	Processor Number	Freq	TDP	Cores	Stepping	Socket	Qty	Model
Intel	Sapphire Rapids	3408U	1.8GHz	125W	8Cores	S3	LGA4677	2P	PK8071305118600
Intel	Sapphire Rapids	4410T	2.7GHz	150W	10Cores	S3	LGA4677	2P	PK8071305121601
Intel	Sapphire Rapids	4410Y	2.0GHz	150W	12Cores	S3	LGA4677	2P	PK8071305120002
Intel	Sapphire Rapids	4416+	2.0GHz	165W	20Cores	S3	LGA4677	2P	PK8071305120201
Intel	Sapphire Rapids	5411N	1.9GHz	165W	24Cores	S3	LGA4677	2P	PK8071305121801
Intel	Sapphire Rapids	5411N	1.9GHz	165W	24Cores	S3	LGA4677	2P	PK8071305121801
Intel	Sapphire Rapids	5412U	2.1GHz	185W	24Cores	S3	LGA4677	2P	PK8071305120401
Intel	Sapphire Rapids	5415+	2.9GHz	150W	8Cores	S3	LGA4677	2P	PK8071305118701
Intel	Sapphire Rapids	5416S	2.0GHz	150W	16Cores	S3	LGA4677	2P	PK8071305122201
Intel	Sapphire Rapids	5418N	1.8GHz	165W	24Cores	S3	LGA4677	2P	PK8071305121701
Intel	Sapphire Rapids	5420+	2.0GHz	205W	28Cores	S3	LGA4677	2P	PK8071305120600
Intel	Sapphire Rapids	6416H	2.2GHz	165W	18Cores	S3	LGA4677	2P	PK8071305121101
Intel	Sapphire Rapids	6418H	2.1GHz	185W	24Cores	S3	LGA4677	2P	PK8071305121202
Intel	Sapphire Rapids	6421N	1.8GHz	185W	32Cores	S3	LGA4677	2P	PK8071305122001
Intel	Sapphire Rapids	6426Y	2.5GHz	185W	16Cores	S3	LGA4677	2P	PK8071305120102
Intel	Sapphire Rapids	6428N	1.8GHz	185W	32Cores	S3	LGA4677	2P	PK8071305121901
Intel	Sapphire Rapids	6430	2.1GHz	270W	32Cores	E5	LGA4677	2P	PK8071305072902
Intel	Sapphire Rapids	6434H	3.7GHz	195W	8Cores	S3	LGA4677	2P	PK8071305121001
Intel	Sapphire Rapids	6438M	2.2GHz	205W	32Cores	S3	LGA4677	2P	PK8071305122301
Intel	Sapphire Rapids	6438N	2.0GHz	205W	32Cores	S3	LGA4677	2P	PK8071305122101
Intel	Sapphire Rapids	6438Y+	2.0GHz	205W	32Cores	S3	LGA4677	2P	PK8071305120701
Intel	Sapphire Rapids	6442Y	2.6GHz	225W	24Cores	S3	LGA4677	2P	PK8071305120500
Intel	Sapphire Rapids	6444Y	3.6GHz	270W	16Cores	S3	LGA4677	2P	PK8071305121400
Intel	Sapphire Rapids	6448H	2.4GHz	250W	32Cores	S3	LGA4677	2P	PK8071305121300
Intel	Sapphire Rapids	6448Y	2.1GHz	225W	32Cores	S3	LGA4677	2P	PK8071305120802
Intel	Sapphire Rapids	6454S	2.2GHz	270W	32Cores	E5	LGA4677	2P	PK8071305073001
Intel	Sapphire Rapids	6458Q	3.1GHz	350W	32Cores	S3	LGA4677	2P	PK8071305121501
Intel	Sapphire Rapids	8444H	2.9GHz	270W	16Cores	E5	LGA4677	2P	PK8071305075101
Intel	Sapphire Rapids	8450H	2.0GHz	250W	28Cores	E5	LGA4677	2P	PK8071305075901
Intel	Sapphire Rapids	8454H	2.1GHz	270W	32Cores	E5	LGA4677	2P	PK8071305074601
Intel	Sapphire Rapids	8460H	2.2GHz	330W	40Cores	E5	LGA4677	2P	PK8071305075001
Intel	Sapphire Rapids	8460Y+	2.0GHz	300W	40Cores	E5	LGA4677	2P	PK8071305072601
Intel	Sapphire Rapids	8462Y+	2.8GHz	300W	32Cores	S3	LGA4677	2P	PK8071305120901
Intel	Sapphire Rapids	8468	2.1GHz	350W	48Cores	E5	LGA4677	2P	PK8071305072501
Intel	Sapphire Rapids	8470Q	2.1GHz	350W	52Cores	E5	LGA4677	2P	PK8071305072301
Intel	Sapphire Rapids	8458P	2.7GHz	350W	44Cores	E3	LGA4677	2P	PK8071305073301
Intel	Sapphire Rapids	8468V	2.4GHz	330W	48Cores	E3	LGA4677	2P	PK8071305073101
Intel	Sapphire Rapids	8470Q	2.1GHz	350W	52Cores	E3	LGA4677	2P	PK8071305072301
Intel	Sapphire Rapids	6430	2.1GHz	270W	32Cores	E3	LGA4677	2P	PK8071305072901
Intel	Emerald Rapids	8592V	2.0GHz	330W	64Cores	A1	LGA4677	2P	PK8072205447600
Intel	Emerald Rapids	6548N	2.8GHz	250W	32Cores	R1	LGA4677	2P	PK8072205503501
Intel	Emerald Rapids	8558	2.1GHz	330W	48Cores	A1	LGA4677	2P	PK8072205449900

S2205(S322 2U)AVL List

Memory

Vendor	Description	DDR	ECC	DIMM Type	Capacity	Rank	Freq	Model	Qty
Samsung	Samsung / DDR5 / ECC / Registered DIMM / 64GB / 2R / 4800MT/s / M321R8GA0BB0-CQKVG / 32DIMMs	DDR5	ECC	Registered DIMM	64GB	2Rx4	4800MT/s	M321R8GA0BB0-CQKVG	32DIMMs
Samsung	Samsung / DDR5 / ECC / Registered DIMM / 16GB / 1R*8 / 4800MT/s / M321R2GA3BB6-CQK / 32DIMMs	DDR5	ECC	Registered DIMM	16GB	1Rx8	4800MT/s	M321R2GA3BB6-CQK	32DIMMs
Samsung	Samsung / DDR5 / ECC / Registered DIMM / 32GB / 2R*8 / 4800MT/s / M321R4GA0BB0-CQK / 32DIMMs	DDR5	ECC	Registered DIMM	32GB	2Rx8	4800MT/s	M321R4GA0BB0-CQK	32DIMMs
Samsung	Samsung / DDR5 / ECC / Registered DIMM / 64GB / 2R*4 / 4800MT/s / M321R8GA0BB0-CQK / 32DIMMs	DDR5	ECC	Registered DIMM	64GB	2Rx4	4800MT/s	M321R8GA0BB0-CQK	32DIMMs
Micron	Micron / DDR5 / ECC / Registered DIMM / 16GB / 1R*8 / 4800MT/s / MTC10F1084S1RC48BA1 / 32DIMMs	DDR5	ECC	Registered DIMM	16GB	1Rx8	4800MT/s	MTC10F1084S1RC48BA1	32DIMMs
Micron	Micron / DDR5 / ECC / Registered DIMM / 32GB / 2R*8 / 4800MT/s / MTC20F2085S1RC48BA1 / 32DIMMs	DDR5	ECC	Registered DIMM	32GB	2Rx8	4800MT/s	MTC20F2085S1RC48BA1	32DIMMs
Micron	Micron / DDR5 / ECC / Registered DIMM / 64GB / 2R*8 / 4800MT/s / MTC40F2046S1RC48BA1 / 32DIMMs	DDR5	ECC	Registered DIMM	64GB	2Rx8	4800MT/s	MTC40F2046S1RC48BA1	32DIMMs
Micron	Micron / DDR5 / ECC / Registered DIMM / 32GB / 2R*8 / 4800MT/s / MTC20F2085S1RC48BA1 / 32DIMMs	DDR5	ECC	Registered DIMM	32GB	2Rx8	4800MT/s	MTC20F2085S1RC48BA1	32DIMMs
SKHynix	SKHynix / DDR5 / ECC / Registered DIMM / 32GB / 1R*4 / 5600MT/s / HMC84AGBRA190N / 32DIMMs	DDR5	ECC	Registered DIMM	32GB	1Rx4	5600MT/s	HMC84AGBRA190N	32DIMMs
SKHynix	SKHynix / DDR5 / ECC / Registered DIMM / 32GB / 2R*8 / 5600MT/s / HMC88AGBRA186N / 32DIMMs	DDR5	ECC	Registered DIMM	32GB	2Rx8	5600MT/s	HMC88AGBRA186N	32DIMMs
Micron	Micron / DDR5 / ECC / Registered DIMM / 32GB / 2R*8 / 5600MT/s / MTC20F2085S1RC56BD1 / 32DIMMs	DDR5	ECC	Registered DIMM	32GB	2Rx8	5600MT/s	MTC20F2085S1RC56BD1	32DIMMs
Micron	Micron / DDR5 / ECC / Registered DIMM / 64GB / 2R*4 / 5600MT/s / MTC40F2046S1RC56BD1 / 32DIMMs	DDR5	ECC	Registered DIMM	64GB	2Rx4	5600MT/s	MTC40F2046S1RC56BD1	32DIMMs
Samsung	Samsung / DDR5 / ECC / Registered DIMM / 32GB / 2R*8 / 5600MT/s / M321R4GA3PB0-CWM / 32DIMMs	DDR5	ECC	Registered DIMM	32GB	2Rx8	5600MT/s	M321R4GA3PB0-CWM	32DIMMs
SKHynix	SKHynix / DDR5 / ECC / Registered DIMM / 16GB / 1R*8 / 5600MT/s / HMC78AGBRA190N / 32DIMMs	DDR5	ECC	Registered DIMM	16GB	1Rx8	5600MT/s	HMC78AGBRA190N	32DIMMs
SKHynix	SKHynix / DDR5 / ECC / Registered DIMM / 64GB / 2R*4 / 5600MT/s / HMC94AGBRA177N / 32DIMMs	DDR5	ECC	Registered DIMM	64GB	2Rx4	5600MT/s	HMC94AGBRA177N	32DIMMs

S2205(S322 2U)AVL List

NIC		NIC						
Vendor	Description	Interface	Model	Features	Connectors	Form Factor	Type	
Broadcom	Broadcom / PCI Express Gen3.0 x8 / BCM957414A4142CC P225P / LAN Speed 25G *2 / SFP28 / Low Profile / PCIe Adapters	PCI Express Gen3.0 x8	BCM957414A4142CC P225P	LAN Speed 25G *2	SFP28	Low Profile	PCIe Adapters	
Broadcom	Broadcom / PCI Express Gen4.0 x16 / BCM957504-P425G / LAN Speed 25G *4 / SFP28 / Low Profile / PCIe Adapters	PCI Express Gen4.0 x16	BCM957504-P425G	LAN Speed 25G *4	SFP28	Low Profile	PCIe Adapters	
Intel	Intel / PCI Express Gen4.0 x16 / E810 / LAN Speed 25G *4 / SFP28 / Full Height / PCIe Adapters	PCI Express Gen4.0 x16	E810	LAN Speed 25G *4	SFP28	Full Height	PCIe Adapters	
Intel	Intel / PCI Express Gen4.0 x8 / E810-XXVDA2 / LAN Speed 25G *2 / SFP28 / Low Profile / PCIe Adapters	PCI Express Gen4.0 x8	E810-XXVDA2	LAN Speed 25G *2	SFP28	Low Profile	PCIe Adapters	
Intel	Intel / PCI Express Gen3.1 x1 / I225-T1 / LAN Speed 2.5G *1 / RJ45 / Low Profile / PCIe Adapters	PCI Express Gen3.1 x1	I225-T1	LAN Speed 2.5G *1	RJ45	Low Profile	PCIe Adapters	
Mellanox	Mellanox / PCI Express Gen4.0 x8 / CX631102A / LAN Speed 25G *2 / SFP28 / Low Profile / PCIe Adapters	PCI Express Gen4.0 x8	CX631102A	LAN Speed 25G *2	SFP28	Low Profile	PCIe Adapters	
Mellanox	Mellanox / PCI Express Gen4.0 x16 / MCX653106A-ECAT / LAN Speed 100G *2 / QSFP56 / Low Profile / Infiniband	PCI Express Gen4.0 x16	MCX653106A-ECAT	LAN Speed 100G *2	QSFP56	Low Profile	Infiniband	
Mellanox	Mellanox / PCI Express Gen4.0 x16 / MCX653106A-HDAT / LAN Speed 100G *2 / QSFP56 / Low Profile / Infiniband	PCI Express Gen4.0 x16	MCX653106A-HDAT	LAN Speed 100G *2	QSFP56	Low Profile	Infiniband	
NVIDIA	NVIDIA / PCI Express Gen5.0 x16 / MCX755106AS-HEAT / LAN Speed 200G *2 / QSFP112 / Half-Height, Half-Length / InfiniBand	PCI Express Gen5.0 x16	MCX755106AS-HEAT	LAN Speed 200G *2	QSFP112	Half-Height, Half-Length	InfiniBand	

S2205(S322 2U)AVL List

RAID Card							
Vendor	Description	Interface	Model	Connectors	Features	Form Factor	Type
MSI	MSI / PCI Express Gen3.0 x8 / MS-S101B / 2 x Mini-SAS HD SFF8643 / SAS; SATA / Low-Profile / RAID card	PCI Express Gen3.0 x8	MS-S101B	2 x Mini-SAS HD SFF8643	SAS; SATA	Low-Profile	RAID card
MSI	MSI / PCI Express Gen3.0 x8 / MS-S101B-01S / 2 x Mini-SAS HD SFF8643 / SAS; SATA / Low-Profile / RAID card	PCI Express Gen3.0 x8	MS-S101B	2 x Mini-SAS HD SFF8643	SAS; SATA	Low-Profile	RAID card
Avago	Avago / PCI Express Gen3.0 x8 / Avago 9362-8I / 2x SFF8643 / SAS; SATA / Low-Profile / RAID card	PCI Express Gen3.0 x8	Avago 9362-8I	2x SFF8643	SAS; SATA	Low-Profile	RAID card
Broadcom	Broadcom / PCI Express Gen4.0 x8 / MegaRAID 9560-16I / 2x8 SFF-8654 / SAS; SATA; NVME / Low-Profile / RAID card	PCI Express Gen4.0 x8	MegaRAID 9560-16I	2x8 SFF-8654	SAS; SATA; NVME	Low-Profile	RAID card
Broadcom	Broadcom / PCI Express Gen4.0 x8 / MegaRAID 9560-8I / 1x8 SFF-8654 / SAS; SATA; NVME / Low-Profile / RAID card	PCI Express Gen4.0 x8	MegaRAID 9560-8I	1x8 SFF-8654	SAS; SATA; NVME	Low-Profile	RAID card
GRAID	GRAID / PCI Express Gen3.0 x16 / SR-BUN-1000-FD32 / SAS; SATA; NVME / Low-Profile / RAID card	PCI Express Gen3.0 x16	SR-BUN-1000-FD32	NA	SAS; SATA; NVME	Low-Profile	RAID card
GRAID	GRAID / PCI Express Gen4.0 x16 / SR-BUN-1010-FD32 / SAS; SATA; NVME / Low-Profile / RAID card	PCI Express Gen4.0 x16	SR-BUN-1010-FD32	NA	SAS; SATA; NVME	Low-Profile	RAID card

S2205(S322 2U)AVL List

Storage-SATA Drive

Vendor	Description	Model	Interface	Capacity	Form Factor	Class	RPM	Sector Size	Performance
Intel	Intel / SSDSC2BW480A4 / SATA3 / 480GB / 2.5Inch / SSD / R:540MB/s;W:490MB/s	SSDSC2BW480A4	SATA3	480GB	2.5Inch	SSD	NA	NA	R:540MB/s;W:490MB/s
Micron	Micron / MTFDDAK1T9TGA-1BC1ZABYY / SATA3 / 1.92TB / 2.5Inch / SSD / R:540MB/s;W:520MB/s	MTFDDAK1T9TGA-1BC1ZABYY	SATA3	1.92TB	2.5Inch	SSD	NA	NA	R:540MB/s;W:520MB/s
Micron	Micron / MTFDDAK3T8TGA-1BC1ZABYY / SATA3 / 3.84TB / 2.5Inch / SSD / R:540MB/s;W:520MB/s	MTFDDAK3T8TGA-1BC1ZABYY	SATA3	3.84TB	2.5Inch	SSD	NA	NA	R:540MB/s;W:520MB/s
ADATA	ADATA / ASX1000LS7-400GM / SATA3 / 400GB / 2.5Inch / SSD / R:560MB/s;W:340MB/s	ASX1000LS7-400GM	SATA3	400GB	2.5Inch	SSD	NA	NA	R:560MB/s;W:340MB/s
Seagate	Seagate / ST1000NX0313 / SATA3 / 1TB / 2.5Inch / STD / 7200rpm	ST1000NX0313	SATA3	1TB	2.5Inch	STD	7200rpm	NA	NA
Seagate	Seagate / ST2000NX0243 / SATA3 / 2TB / 2.5Inch / STD / 7200rpm	ST2000NX0243	SATA3	2TB	2.5Inch	STD	7200rpm	NA	NA
Seagate	Seagate / ST12000NM001G / SATA3 / 12TB / 3.5Inch / STD / 7200rpm	ST12000NM001G	SATA3	12TB	3.5Inch	STD	7200rpm	NA	NA
Seagate	Seagate / ST14000NM001G / SATA3 / 14TB / 3.5Inch / STD / 7200rpm	ST14000NM001G	SATA3	14TB	3.5Inch	STD	7200rpm	NA	NA
Seagate	Seagate / ST16000NM001G / SATA3 / 16TB / 3.5Inch / STD / 7200rpm	ST16000NM001G	SATA3	16TB	3.5Inch	STD	7200rpm	NA	NA
Seagate	Seagate / ST10000NM018G / SATA3 / 10TB / 3.5Inch / STD / 7200rpm	ST10000NM018G	SATA3	10TB	3.5Inch	STD	7200rpm	NA	NA
TOSHIBA	TOSHIBA / MG04ACA100N / SATA3 / 1TB / 3.5Inch / STD / 7200rpm	MG04ACA100N	SATA3	1TB	3.5Inch	STD	7200rpm	NA	NA
TOSHIBA	TOSHIBA / MG04ACA400E / SATA3 / 4TB / 3.5Inch / STD / 7200rpm	MG04ACA400E	SATA3	4TB	3.5Inch	STD	7200rpm	NA	NA

S2205(S322 2U)AVL List

Storage-SAS Drive

Vendor	Description	Model	Interface	Capacity	Form Factor	Class	RPM	Sector Size	Performance
HGST	HGST / HUC101812CS4200 / SAS12G / 1.2TB / 2.5Inch / STD / 10000rpm	HUC101812CS4200	SAS12G	1.2TB	2.5Inch	STD	10000rpm	NA	NA
HGST	HGST / HUC101812CSS200 / SAS12G / 1.2TB / 2.5Inch / STD / 10000rpm	HUC101812CSS200	SAS12G	1.2TB	2.5Inch	STD	10000rpm	NA	NA
HGST	HGST / HUC101818CS4200 / SAS12G / 1.8TB / 2.5Inch / STD / 10000rpm	HUC101818CS4200	SAS12G	1.8TB	2.5Inch	STD	10000rpm	NA	NA
WesternDigital	WesternDigital / WUS721010AL5204 / SAS12G / 10TB / 3.5Inch / STD / 7200rpm / R:262MB/s;W:262MB/s	WUS721010AL5204	SAS12G	10TB	3.5Inch	STD	7200rpm	NA	R:262MB/s;W:262MB/s
WesternDigital	WesternDigital / HUH721212AL5204 / SAS12G / 12TB / 3.5Inch / STD / 7200rpm / R:255MB/s;W:255MB/s	HUH721212AL5204	SAS12G	12TB	3.5Inch	STD	7200rpm	NA	R:255MB/s;W:255MB/s
WesternDigital	WesternDigital / WUH721414AL5204 / SAS12G / 14TB / 3.5Inch / STD / 7200rpm / R:267MB/s;W:267MB/s	WUH721414AL5204	SAS12G	14TB	3.5Inch	STD	7200rpm	NA	R:267MB/s;W:267MB/s
WesternDigital	WesternDigital / WUH721816AL5204 / SAS12G / 16TB / 3.5Inch / STD / 7200rpm / R:262MB/s;W:262MB/s	WUH721816AL5204	SAS12G	16TB	3.5Inch	STD	7200rpm	NA	R:262MB/s;W:262MB/s
WesternDigital	WesternDigital / WUH721818AL5204 / SAS12G / 18TB / 3.5Inch / STD / 7200rpm / R:269MB/s;W:269MB/s	WUH721818AL5204	SAS12G	18TB	3.5Inch	STD	7200rpm	NA	R:269MB/s;W:269MB/s

S2205(S322 2U)AVL List

Storage-NVMe

Vendor	Description	Model	Interface	Capacity	Form Factor	Performance
Intel	Intel / SSDPF2KX038TZ / PCI Express Gen4.0 x4 / 3.84TB / U.2	SSDPF2KX038TZ	PCI Express Gen4.0 x4	3.84TB	U.2	NA
Samsung	Samsung / MZQL21T9HCJR-00A07 / PCI Express Gen4.0 x4 / 1.92TB / U.2	MZQL21T9HCJR-00A07	PCI Express Gen4.0 x4	1.92TB	U.2	NA
Samsung	Samsung / MZQL2960HCJR-00A07 / PCI Express Gen4.0 x4 / 960GB / U.2	MZQL2960HCJR-00A07	PCI Express Gen4.0 x4	960GB	U.2	NA

S2205(S322 2U)AVL List

Storage-M.2

Vendor	Description	Model	Interface	Type	Capacity	Form Factor	Work temp	Performance
Innodisk	Innodisk / DEM28-A28M61EWAQF-ONP100GB / PCI Express Gen3.0 x4 / M.2 / 100GB / 2280 / -40C~85C / R:2000MB/s;W:1850MB/s	DEM28-A28M61EWAQF-ONP100GB	PCI Express Gen3.0 x4	M.2	100GB	2280	-40C~85C	R:2000MB/s;W:1850MB/s
ADATA	ADATA / IM2P33E8-512GP / PCI Express Gen3.0 x4 / M.2 / 512GB / 2280 / 0C~70C / R:3400MB/s;W:2800MB/s	IM2P33E8-512GP	PCI Express Gen3.0 x4	M.2	512GB	2280	0C~70C	R:3400MB/s;W:2800MB/s
Apacer	Apacer / APP240G1DC-01VWD / PCI Express Gen3.0 x4 / M.2 / 240GB / 2280 / -40C~85C / R:2430MB/s;W:1040MB/s	APP240G1DC-01VWD	PCI Express Gen3.0 x4	M.2	240GB	2280	-40C~85C	R:2430MB/s;W:1040MB/s
Samsung	Samsung / MZ-1L21T90 / PCI Express Gen4.0 x4 / M.2 / 1.92TB / 22110 / R:5500MB/s;W:2000MB/s	MZ-1L21T90	PCI Express Gen4.0 x4	M.2	1.92TB	22110	NA	R:5500MB/s;W:2000MB/s
Samsung	Samsung / MZVL4512HBLU-00BTW / PCI Express Gen4.0 x4 / M.2 / 512GB / 2280 / -40C~85C / R:3500MB/s;W:2500MB/s	MZVL4512HBLU-00BTW	PCI Express Gen4.0 x4	M.2	512GB	2280	-40C~85C	R:3500MB/s;W:2500MB/s
Samsung	Samsung / MZVL22T0HBLB-00B00 / PCI Express Gen4.0 x4 / M.2 / 2TB / 2280 / -40C~85C / R:7000MB/s;W:5200MB/s	MZVL22T0HBLB-00B00	PCI Express Gen4.0 x4	M.2	2TB	2280	-40C~85C	R:7000MB/s;W:5200MB/s
Samsung	Samsung / MZVL21T0HCLR-00B00 / PCI Express Gen4.0 x4 / M.2 / 1TB / 2280 / -40C~85C / R:7000MB/s;W:5100MB/s	MZVL21T0HCLR-00B00	PCI Express Gen4.0 x4	M.2	1TB	2280	-40C~85C	R:7000MB/s;W:5100MB/s
Crucial	Crucial / MTFDKBA480TFR-1BC1ZABYY / PCI Express Gen4.0 x4 / M.2 / 480GB / 2280 / 0C~70C / R:5000MB/s;W:700MB/s	MTFDKBA480TFR-1BC1ZABYY	PCI Express Gen4.0 x4	M.2	480GB	2280	0C~70C	R:5000MB/s;W:700MB/s
Crucial	Crucial / MTFDKBA960TFR-1BC1ZABYY / PCI Express Gen4.0 x4 / M.2 / 960GB / 2280 / 0C~70C / R:5000MB/s;W:1400MB/s	MTFDKBA960TFR-1BC1ZABYY	PCI Express Gen4.0 x4	M.2	960GB	2280	0C~70C	R:5000MB/s;W:1400MB/s
Crucial	Crucial / MTFDKBG960TFR-1BC1ZABYY / PCI Express Gen4.0 x4 / M.2 / 960GB / 22110 / 0C~70C / R:5000MB/s;W:1400MB/s	MTFDKBG960TFR-1BC1ZABYY	PCI Express Gen4.0 x4	M.2	960GB	22110	0C~70C	R:5000MB/s;W:1400MB/s
Transcend	Transcend / TS128GMTE550T / PCI Express Gen3.0 x4 / M.2 / 128GB / 2280 / R:1600MB/s;W:400MB/s	TS128GMTE550T	PCI Express Gen3.0 x4	M.2	128GB	2280	NA	R:1600MB/s;W:400MB/s