CPU

Vendor	Code Name	Processor#	BaseFreq(GHz)	BoostMaxFreq(GHz)	Cache	TDP	Cores
Intel	Granite Rapids-AP	6960P	2.7	-	432M	500W	72
Intel	Granite Rapids-AP	6972P	2.4	-	480M	500W	96
Intel	Granite Rapids-AP	6952P	2.1	-	480M	400W	96
Intel	Granite Rapids-AP	6979P	2.1	-	504M	500W	120
Intel	Granite Rapids-AP	6980P	2.0	-	504M	500W	128
Intel	Granite Rapids-AP	6966P-C	3.1	-	432M	550W	96

Memory

Vendor	MemoryType1	MemoryType2	Speed	Capacity	Rank	Product#	ECC
Micron	DDR5	RDIMM	6400MT/s	64GB	2R*4	MTC40F2046S1RC64BD2	ECC
Micron	DDR5	RDIMM	6400MT/s	32GB	2R*8	MTC20F2085S1RC64BD2	ECC
Micron	DDR5	RDIMM	6400MT/s	96GB	2R*4	MTC40F204WS1RC64BB2	ECC
Samsung	DDR5	RDIMM	6400MT/s	32GB	2R*8	M321R4GA3EB2-CCPWC	ECC
Samsung	DDR5	RDIMM	6400MT/s	64GB	2R*4	M321R8GA0EB2-CCPWC	ECC
Samsung	DDR5	RDIMM	6400MT/s	128GB	2R*4	M321RAJA0MB2-CCPPC	ECC
Samsung	DDR5	RDIMM	6400MT/s	96GB	2R*4	M321RYGA0PB2-CCPKC	ECC
Samsung	DDR5	RDIMM	6400MT/s	64GB	2R*4	M321R8GA0EB2-CCPKC	ECC
SK Hynix	DDR5	RDIMM	6400MT/s	32GB	2R*8	HMCG88AHBRA471N	ECC
SK Hynix	DDR5	RDIMM	6400MT/s	64GB	2R*4	HMCG94AHBRA486N	ECC
SK Hynix	DDR5	RDIMM	6400MT/s	96GB	2R*4	HMCGM4MHBRB505N	ECC

NIC

Vendor	Product Name	Type	Interface	Data Rate	Port	Connector	Form Factor	Chipset
Broadcom	BCM957414-A4142CC P225P	Standard PCIe	PCIe 3.0 x8	25Gb/s	Dual	SFP28	HHHL	BCM57410
Broadcom	BCM957504-P425G	Standard PCIe	PCIe 4.0 x16	25Gb/s	Quad	SFP28	HHHL	BCM57504
Intel	E810-XXVDA4	Standard PCIe	PCIe 4.0 x16	25Gb/s	Quad	SFP28	FH	E810-CAM1
Intel	E810-XXVDA2	Standard PCIe	PCIe 4.0 x8	25Gb/s	Dual	SFP28	HHHL	E810-XXVAM2
Intel	X710-T2L	Standard PCIe	PCIe 3.0 x8	10Gb/s	Dual	RJ45	LP	X710-AT2

NIC

Vendor	Product Name	Type	Interface	Data Rate	Port	Connector	Form Factor	Chipset
Broadcom	BCM957508-N1200G	OCP3.0	PCIe 4.0 x16	200Gb/s	Single	QSFP56	-	BCM57508
Broadcom	BCM957508-N2100G	OCP3.0	PCIe 4.0 x16	100Gb/s	Dual	QSFP56	-	BCM57508
Broadcom	BCM957504-N1100G	OCP3.0	PCIe 4.0 x16	100Gb/s	Single	QSFP56	-	BCM57508
Broadcom	BCM957608-N2200GQP00	OCP3.0	PCIe 5.0 x16	200Gb/s	Dual	QSFP112	-	BCM57608
Broadcom	BCM957608-N1400GDP00	OCP3.0	PCIe 5.0 x16	400Gb/s	Single	QSFP112-DD	-	BCM57608
Intel	X710-T2L	OCP3.0	PCIe 3.0 x8	10Gb/s	Dual	RJ45	-	X710-AT2
Intel	E810CQDA1OCPV3G	OCP3.0	PCIe 4.0 x16	100Gb/s	Single	QSFP28	-	E810-CAM2
Intel	E810-XXVDA4	OCP3.0	PCIe 4.0 x16	25Gb/s	Quad	SFP28	-	E810-CAM1
Intel	I350-T4	OCP3.0	PCIe 2.1 x4	1Gb/s	Quad	RJ45	-	I350
NVIDIA	MCX753436MS-HEAB	OCP3.0	PCIe 5.0 x16	200Gb/s	Dual	QSFP112	-	ConnectX-7

Storage_M2

Vendor	Product#	Form Factor	Interface	Capacity	Work temp
Micron	MTFDKBG960TFR-1BC1ZABYY	22110	PCIe 4.0 x4	960GB	0C~70C

Storage_NVMe

Vendor	Product#	Form Factor	Interface	Capacity
Samsung	MZTL63T8HFLT-00AW7	E1.S 9.5mm	PCIe 5.0 x4	3.84TB
Samsung	MZQL21T9HCJR-00A07	U.2 2.5" 7mm	PCIe 4.0 x4	1.92TB
Samsung	MZQL2960HCJR-00A07	U.2 2.5" 7mm	PCIe 4.0 x4	960GB
Samsung	MZWLO1T9HCJR-00A07	U.2 2.5" 15mm	PCIe 5.0 x4	1.92TB
Samsung	MZWL63T8HFLT-00AW7	U.2 2.5" 15mm	PCIe 5.0 x4	3.84TB
Samsung	MZQL23T8HCLS-00A07	U.2 2.5" 7mm	PCIe 4.0 x4	3.84TB
Samsung	MZWL61T9HFLT-00AW7	U.2 2.5" 15mm	PCIe 5.0 x4	1.92TB
Solidigm	SB5PH27E016T001	U.2 2.5"	PCIe 5.0 x4	1.6TB